Hardcore Labs, LLC Carpet Prespray

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Carpet Prespray

Date of Safety Data Sheet:

April 22, 2015

Use of Preparation: Cleaner.

Company Identification: Hardcore Labs, LLC

1346 W. 7800 S.

West Jordan, UT 84088 Office: (801) 810-6885

Company Emergency Telephone

Number

Emergency Phone: (801) 810-6885

Transportation Emergency

Telephone Number

CHEMTREC (USA) 800-424-9300

2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA / WHMIS 2015 Hazards

Not hazardous.

Classification of substance or mixture

GHS-US/Canadian classification:

Not hazardous

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS):

None.

Signal Word (GHS):

None

Hazard Statements (GHS):

None

Precautionary Statements (GHS):

P262: Do not get in eyes, on skin or on clothing.

P305 + P351: IF IN EYES: Rinse with water for several minutes. Repeat if needed.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Hardcore Labs, LLC Carpet Prespray

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical

Ingredient	CAS#	% by	Classification
		Wt	
Alkyl Ammonium Compound	HMIRA Registry	1-5	Skin Irritation Category 2 – H315
Alkoxylated Alcohol	Number 9037,		Eye Irritant Category 2B – H320
Amphoteric Surfactant	filed September		
	26, 2013		
Sodium Bicarbonate	144-55-8	1-5	Eye Irritant Category 2B – H320
Sodium Gluconate	527-07-1	1-5	Eye Irritant Category 2B - H320
Sociali Giaconate	321-01-1	1-3	Lye iiiitani Category 25 - 11320
Sodium Carbonate	497-19-8	1-5	Skin Irritant Category 2 – H315
			Eye Irritant Category 2A - H319

4. FIRST AID MEASURES

Inhalation:

Remove to fresh air. If symptoms persist consult physician.

Eye Contact:

Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists get medical

attention.

Skin Contact:

Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

Ingestion:

Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

Notes to Physician:

Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable extinguishing media:

No information available.

Special exposure hazards

Thermal decomposition releases irritating gases.

Special safety equipment:

Self-contained positive pressure breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe mist.

For Non-Emergency Personnel:

Hardcore Labs, LLC Carpet Prespray

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel:

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up:

For Containment: Contain any spills with dikes to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Use local exhaust or dilution ventilation.

Hand protection: Chemical resistant gloves.

Eve protection: Safety goggles.

Skin protection: Use body-covering impervious clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before eating,

drinking or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid. Specific gravity: 1.021 g/cm3.

Date: April 22, 2015

SDS: Hardcore Labs, LLC. Carpet Prespray

Hardcore Labs, LLC Carpet Prespray

Colour: Clear yellow liquid. Solubility in water: Soluble.

Odour: Grapefruit

Flash point: pH: 9.5 None Vapor density: Not known

range:

Boiling point/boiling Est 100 °C 212 °F

10. STABILITY AND REACTIVITY

Reactivity Stable at normal ambient temperature and pressure. **Chemical stability** No decomposition if stored and applied as directed.

Thermal decomposition/conditions Thermal decomposition or combustion may liberate carbon oxides and other

to avoid: toxic gases or vapours.

Incompatible agents. Avoid excessive heat for prolonged periods of time. Avoid Conditions to avoid

frost

Thermal decomposition or combustion may liberate carbon oxides and other **Hazardous decomposition products**

gases or vapours.

Materials to avoid Oxidizing agents, acids.

Hazardous polymerization Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification

Alkoxylated Alcohol CAS # HMIRA Registry Number 9037, filed September 26, 2013:

LD50 (Oral) Rat 2,000 mg/Kg

Sodium Bicarbonate CAS # 144-55-8:

LD 50 (Oral) Rat 4,220 mg/Kg

Sodium Carbonate CAS # 497-19-8:

LD 50 (Oral) Rat 4,090 mg/Kg

Primary irritant effect: on the skin: None known. on the eye: Slight irritation.

Sensitization: No sensitizing effects known. Additional toxicological information:

None known

12. ECOLOGICAL INFORMATION

Toxicity: Not classified

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available.

Date: April 22, 2015 SDS: Hardcore Labs, LLC. Carpet Prespray

Hardcore Labs, LLC Carpet Prespray

Other Adverse Effects Not available.

Other Information: All of the organic components of this product are readily biodegradable.

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional,

national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation: Not Regulated

Canadian T.D.G.: Not Regulated Water Transportation: Not Regulated Air Transportation: Not Regulated

15. REGULATION

SARA Section Yes SARA (313) Chemicals Yes EPA TSCA Inventory Appears. Canadian DSL Appears. EINECS Appears.

WHMIS Classification: Class D - Division 2B



HMIS III Rating

Health: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Lizmar

32 Louisa Street Toronto Ontario

Date: April 22, 2015 SDS: Hardcore Labs, LLC. Carpet Prespray

Hardcore Labs, LLC Carpet Prespray

> M8V 2K6 416-436-5054

Issuing Date: April 22, 2015

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet